

Marine Services for Undersea Telecom Cables

A Technology & Market Assessment Report: Table of Contents

(including list of figures and tables beginning on page 15)



Legal Address: 221 River Street, 9th Floor, Hoboken, New Jersey 07030 USA

www.pioneerconsulting.com

Table of Contents

CHAPTER 1: EXECUTIVE SUMMARY

1.1. OBJECTIVE

1.2. REPORT SUMMARY

1.2.1. Submarine Telecommunications Marine Services Market

1.2.2. Changes in the Past Decade

1.2.3. Vessels

1.2.4. Services

1.2.5. The Future

CHAPTER 2: INTRODUCTION

2.1. MARINE SERVICE MARKET ASSUMPTIONS AND DEFINITIONS

2.2. OVERVIEW OF THE MARINE SERVICES MARKET FOR SUBMARINE TELECOMMUNICATIONS CABLE

2.3. INDUSTRY BACKGROUND

2.4. INSTALLATION - DEEP AND SHALLOW WATER

2.5. REPAIR - DEEP AND SHALLOW WATER

2.6. MARINE SURVEY

2.7. CABLE STORAGE

CHAPTER 3: DEEP WATER MARINE SERVICES - INSTALLATION AND REPAIR

3.1. DEEP WATER OPERATIONS OVERVIEW

3.1.1. Pre-Lay Grapnel Run

3.1.1.1 PLGR Equipment

3.1.1.1.1. Dynamometer

3.1.1.1.2. Rope and Grapnel Rigging

3.1.1.1.3. Vessel Speed

3.1.1.1.4. Number of Passes

- 3.1.1.1.5. Periodic Check of Grapnels
- 3.1.1.1.6. Active Cable Crossings
- 3.1.1.1.7. Disposal of Recovered Debris
- 3.1.2. Route Clearance
 - 3.1.2.1 Permission and Notifications
 - 3.1.2.2 Types of Out of Service Cables
 - 3.1.2.2.1. Corridor Width
 - 3.1.2.2.2. Recovery and Repositioning Operations
- 3.1.3. FAD Avoidance
- 3.1.4. Vessel Loading
 - 3.1.4.1 Vessel Loading Planning and Coordination
 - 3.1.4.2 Load Plan
 - 3.1.4.3 Load Rates
 - 3.1.4.4 Single—Dual Load Lines
 - 3.1.4.5 Level Loading
 - 3.1.4.6 Cable Stow
 - 3.1.4.7 Down Runners and Up Runners
 - 3.1.4.8 Repeater Stowage
 - 3.1.4.9 Rigging
 - 3.1.4.10 Transporters
 - 3.1.4.11 Cable Counters
 - 3.1.4.12 Cable Path
 - 3.1.4.13 Dunnage
 - 3.1.4.14 Keystone and Plastic Sheeting
 - 3.1.4.15 Cable Handling Guidelines
 - 3.1.4.16 Spare Cable/Repeaters
 - 3.1.4.17 Impactographs
 - 3.1.4.18 Factory As-Built Information

- 3.1.4.19 System Schematic
- 3.1.4.20 Freighters
- 3.1.4.21 Barges
- 3.1.4.22 40 Foot Open Top Containers
- 3.1.4.23 Transporting PLSE Containers
- 3.1.4.24 Transits
- 3.1.5. Installation
 - 3.1.5.1 Start of Deep Sea Lay Operations
 - 3.1.5.1.1. Direct Landings
 - 3.1.5.1.2. Recovery of Pre-laid Shore Ends
 - 3.1.5.1.3. Recovery of Deep Sea Cable Ends
- 3.1.6. Laying Operations
 - 3.1.6.1 Cable Slack
 - 3.1.6.2 Managing Cable Slack
 - 3.1.6.3 Burial Operations
 - 3.1.6.4 End of Lay Operations
 - 3.1.6.4.1. Buoy Operations
 - 3.1.6.4.2. Streamed Ends
 - 3.1.6.4.3. Final Splices and Final Bights
 - 3.1.6.5 Post Lay Burial and Inspection (PLIB)
 - 3.1.6.5.1. Post Lay Burial (PLB)
 - 3.1.6.5.2. Post Lay Inspection (PLI)
 - 3.1.6.5.3. Remotely Operated Vehicles (ROVs)
 - 3.1.6.5.4. Water Jetting Systems
 - 3.1.6.5.5. ROV Launch and Recovery Systems (LARS)
 - 3.1.6.5.6. Cable Tracking Devices
 - 3.1.6.5.7. Active and Passive Modes of Operation
 - 3.1.6.5.8. Sonar

- 3.1.6.5.9. Subsurface Positioning
- 3.1.6.6 Touchdown Monitoring (TDM)
- 3.1.7. Branching Units
 - 3.1.7.1 BU Terminology
 - 3.1.7.2 First Branch Leg Installation
 - 3.1.7.3 Second Branch Leg Installation
 - 3.1.7.4 Stub Tail Splicing Operation
 - 3.1.7.5 Branching Repeater Overboarding
- 3.1.8. Cable Jointing
 - 3.1.8.1 Installation Splices
 - 3.1.8.2 Initial Splice
 - 3.1.8.3 Final Splice
 - 3.1.8.4 Repair Splices
 - 3.1.8.5 Typical Cable Joint Process
 - 3.1.8.6 Fusion Splicing
 - 3.1.8.7 Cleavers
 - 3.1.8.8 Fusion Splicing Machines
 - 3.1.8.9 The Fusion Process
- 3.1.9. Shipboard Testing
 - 3.1.9.1 Shipboard Testing Facilities
 - 3.1.9.2 Power Feed Equipment
 - 3.1.9.3 Shipboard Power Safety
 - 3.1.9.4 Coherent Optical Time Domain Reflectometer (COTDR)
 - 3.1.9.5 Optical Spectrum Analyzer (OSA)
 - 3.1.9.6 Megohmmeter (Megger)
 - 3.1.9.7 Optical Power Meters
 - 3.1.9.8 Optical Time Domain Reflectometer (OTDR)
 - 3.1.9.9 Tone Generator

- 3.1.9.10 Shipboard Tests Vessel Loading
 - 3.1.9.10.1. Daily Tests
 - 3.1.9.10.2. Assembled Shipload Testing (ASL)
 - 3.1.9.10.3. Start of Lay Testing—Beach Landing
 - 3.1.9.10.4. Start of Lay Testing—Streamed Ends
 - 3.1.9.10.5. Start of Lay Testing—Initial Splice Testing
 - 3.1.9.10.6. Main Lay Cable Testing
 - 3.1.9.10.7. Final Splice/End of Lay Testing
 - 3.1.9.10.8. Cable Jointing Testing
 - 3.1.9.10.9. Spare Wet Plant Testing Considerations and Procedures
- 3.1.10. Cable/Pipeline Crossings
- 3.1.11. Industry Recommendations
- 3.1.12. Cable Routing
- 3.1.13. Crossing Agreements
- 3.1.14. Cable Crossings Guidelines
- 3.1.15. Like to Like Cable Types
- 3.1.16. Repeaters Near Cable Crossings
- 3.1.17. Cable Bights Near Crossings
- 3.1.18. Branching Units Near Crossings
- 3.1.19. Burial Operations Near Crossings
- 3.1.20. Burial Operations Near Crossings
- 3.1.21. Parallel Cable Routing
- 3.1.22. Narrow Passages/Shore End Approaches
- 3.1.23. Pipeline Crossings
- 3.1.24. Pipeline Crossing Agreements
- 3.1.25. Cable Pipeline Separation
- 3.1.26. Protective Sleeves
- 3.1.27. Concrete Mattresses

3.1.28. Repairs

3.1.29. ROV Cut and Recovery

3.2. DESCRIPTION OF DEEP-WATER VALUE CHAIN

3.2.1. Desk Top Study

3.2.2. Marine Cable Route Survey

3.2.3. Cable Engineering

3.2.4. Manufacturing and Integration

3.2.5. Deep Sea Installation

3.2.6. Documentation

3.2.7. Maintenance

3.3. VESSELS/EQUIPMENT SPECIFIC TO DEEP WATER OPERATIONS

3.3.1. Equipment

3.3.1.1 Cable Engines

3.3.1.2 Cable Drum Engines

3.3.1.3 Linear Cable Engines (LCEs)

3.3.1.4 Cable Counters

3.3.1.5 Dynamometers

3.3.1.6 Navigational Equipment

3.3.1.7 Dynamic Positioning (DP)

3.3.1.8 Echo Sounders

3.3.2. Technical Specifications

3.3.3. Economics

3.4. KEY ISSUES AND TRENDS

3.4.1. Multipurpose Vessels

3.4.2. Current Cables Fleet

3.4.3. Sea Plow Capabilities

3.4.4. Cable Laying Software

3.4.5. Dynamic Positioning (DP) Requirements and Capabilities

CHAPTER 4: SHALLOW WATER MARINE SERVICES - INSTALLATION AND REPAIR

4.1. SHALLOW WATER OPERATIONS OVERVIEW

- 4.1.1.1 Planning and Logistics of Shore End Landings
- 4.1.1.2 Types of Shore End Cable Protection
- 4.1.1.3 Unburied Shore End Landings
- 4.1.1.4 Buried Shore End Landings
- 4.1.1.5 Cable Protection Measures
- 4.1.1.6 Beach Trenching
- 4.1.1.7 Beach Conduits
- 4.1.1.8 Diver Inspection
- 4.1.1.9 Beach Restoration
- 4.1.1.10 Interface with Terrestrial Cable Installation Operations
- 4.1.2. Direct Landings
 - 4.1.2.1 Shore End Pull-In Methods
 - 4.1.2.2 Deadman Anchors
 - 4.1.2.3 Pull in Operations
 - 4.1.2.4 Armor Clamp
- 4.1.3. Pre-Laid Shore Ends (PLSE)
 - 4.1.3.1 Shallow Water Restrictions
 - 4.1.3.2 Shallow Water Alter Courses
 - 4.1.3.3 Navigational Hazards
 - 4.1.3.4 Seasonal Restrictions
 - 4.1.3.5 Cost Efficiencies
 - 4.1.3.6 Deep Burial Requirements
 - 4.1.3.7 Planning and Engineering PLSEs
 - 4.1.3.8 Manufacturing and Shipping Considerations
 - 4.1.3.9 Depth of Water Considerations

- 4.1.3.10 Cable Jointing
- 4.1.3.11 Daytime Operations vs. 24 Hour Operations
- 4.1.3.12 Testing
- 4.1.3.13 Shallow Water Cable Protection
- 4.1.4. Articulated Pipe
- 4.1.5. Shallow Water Trenching
- 4.1.6. Diver Jetting
 - 4.1.6.1 Airlifting
 - 4.1.6.2 Water Dredging
- 4.1.7. Horizontal Directional Drilling
- 4.2. MARINE MAINTENANCE
- 4.3. VESSELS/EQUIPMENT SPECIFIC TO SHALLOW WATER OPERATION
 - 4.3.1. Equipment (Including Cable Protection Equipment)
 - 4.3.2. Technical Specifications
 - 4.3.2.1 Four Point Mooring Tug and Barge
 - 4.3.2.2 Shallow Water DP Vessels
 - 4.3.2.3 Beachable Vessels
 - 4.3.3. Shallow Water Burial Tools
 - 4.3.4. Role of Permitting in Vessel Selection
 - 4.3.5. Economics
- 4.4. KEY ISSUES AND TRENDS–SHALLOW WATER OPERATIONS
 - 4.4.1. Self-Performed vs. Subcontracted Services
 - 4.4.2. Every Landing Has Unique Requirements

CHAPTER 5: MARINE SURVEY MARKET

- 5.1. OVERVIEW OF SURVEY FOR SUBMARINE TELECOM CABLES
- 5.2. SURVEY MARKET ROLE IN MAINTENANCE AND INSPECTION
- 5.3. SURVEYS FOR UNDERSEA TELECOM CABLE

5.3.1. Desk Top Study/Cable Route Study

5.3.2. Site Visits

5.3.3. Inshore Survey and Beach Survey

5.3.4. Offshore Survey

5.3.4.1 Multibeam Echo Sounding (MBES) or Swath Bathymetry

5.3.4.2 Side-scan Sonar (SSS)

5.3.4.3 Sub-Bottom Profiling (SBP)

5.3.4.4 Seabed Samples

5.3.4.5 Burial Assessment Survey (BAS), CPTs

5.3.4.6 In-Service Cable Crossings (Magnetometry)

5.3.4.7 Branching Units (BUs) and Planned Cable Crossings

5.3.4.8 Charting and Survey Reports

5.3.5. Port, Harbor and Coastal Surveys

5.3.6. Autonomous Underwater Vehicles (AUV)

5.3.7. Airborne LIDAR Bathymetry

5.4. KEY SURVEY COMPANIES

5.4.1. Fugro

5.4.2. EGS

5.4.3. Other Survey Companies and Vessels of Opportunity

5.4.3.1 Oceaneering International, Inc.

5.4.3.2 Terrasond

5.4.3.3 Elettra (Orange Marine)

5.4.3.4 Williamson & Associates:

5.4.3.5 Maritech

5.4.3.6 Gardline Geosurvey Limited

5.4.3.7 GEMS Survey

5.4.3.8 IT International Telecom

5.4.3.9 Additional Survey Resources

5.5. KEY SURVEY EQUIPMENT/ASSETS

5.5.1. Multibeam Echosounders (MBES), Swath Bathymetry

5.5.2. Side-scan Sonar (SSS)

5.5.3. Sub-Bottom Profilers (SBP)

5.5.4. Magnetometers

5.5.5. Seabed Sampling

5.5.6. Cone Penetrometer Tests (CPTs)

5.5.7. Towed Continuous E-BAS Equipment

5.5.8. Ultra-Short Baseline (USBL) Acoustic Positioning

5.6. BETTER SURVEY STUDIES/ROUTES FOR CABLE INSTALLATION

5.7. ROUTE AND CABLE ENGINEERING

5.7.1. Route Selection

5.7.2. ICPC Recommendations

5.7.3. Burial Requirements

5.7.4. Cable Selection

5.7.5. Cable Slack Allocation

5.7.6. Initial and Final Splices, Branching Units and Cable Allowances

CHAPTER 6: MAINTENANCE ARRANGEMENTS

6.1. CLUB AGREEMENTS

6.1.1. Atlantic Cable Maintenance Agreement

6.1.2. 2 Oceans Cable Maintenance Agreement

6.1.3. Mediterranean Cable Maintenance Agreement

6.1.4. North American Zone Cable Maintenance Agreement

6.1.5. South East Asia/India Ocean Cable Maintenance Agreement

6.1.6. Yokohama Zone Cable Maintenance Agreement

6.1.7. Pacific and Indian Ocean Cable Mutual Agreement

6.2. PRIVATE MAINTENANCE AGREEMENTS

- 6.2.1. Atlantic Private Maintenance Agreement
- 6.2.2. Asia Pacific Marine Maintenance Service Agreement
- 6.2.3. E-Marine
- 6.2.4. South Pacific Marine Maintenance Agreement
- 6.2.5. Northern Pacific Marine Maintenance Service Agreement
- 6.2.6. IT International Telecom — Sentinel Maintenance
- 6.2.7. BSC Submarine Cable Maintenance

6.3. NEW DEVELOPMENTS IN THE MAINTENANCE MARKET

- 6.3.1. Alternatives to the Traditional Maintenance Agreement Model

6.4. SHALLOW WATER MAINTENANCE

- 6.4.1. Shallow Water Inspections

CHAPTER 7: SUBMARINE CABLE STORAGE

7.1. CABLE DEPOTS AROUND THE WORLD

- 7.1.1. SubCom
- 7.1.2. Global Marine Systems Limited (GMSL)
 - 7.1.2.1 Bermuda Cable Depot
 - 7.1.2.2 GMSL Portland Depot
- 7.1.3. Alcatel Submarine Networks (ASN)
 - 7.1.3.1 Alcatel Submarine Networks (ASN) Cable Factory in Calais
- 7.1.4. Orange Marine
 - 7.1.4.1 Brest, France – The Atlantic Marine Base
 - 7.1.4.2 Catania, Italy Depot
 - 7.1.4.3 La Seyne Sur Mer, France
- 7.1.5. E-Marine PJSC
- 7.1.6. S. B. Submarine Systems Co., Ltd. (SBSS)
- 7.1.7. Kokusai Cable Ship Co., Ltd (KCS)
- 7.1.8. KT Submarine (KTS)

7.1.9. Baltic Offshore

7.1.10. IT International Telecom

7.1.10.1 The Atlantic Facility

7.1.10.2 The Pacific Facility

7.1.11. Subsea Network Services

7.2. UNIVERSAL JOINT (UJ)

7.2.1. Locations of UJC Member Companies Jointer Training Schools

7.2.2. Introduction to Jointer Training

7.2.3. New Technology Transfer

7.2.4. UJC Training Standard

7.2.5. Training Course Syllabus

CHAPTER 8: MARKET PARTICIPANTS

8.1. Turnkey System Suppliers / Installers

8.1.1. SubCom

8.1.2. Alcatel Submarine Networks (ASN)

8.2. MARINE INSTALLATION PROVIDERS

8.2.1. Orange Marine

8.2.2. NTT/NTT WE Marine

8.2.3. KDDI/KCS

8.2.4. Optic Marine

8.2.5. Limin Marine and Offshore

8.2.6. ASEAN Cables Pte Ltd

8.2.7. S. B. Submarine Systems Co., Ltd. (SBSS)

8.3. SHALLOW WATER INSTALLATION COMPANIES

8.3.1. Caldwell Marine International

8.3.2. Harbor Offshore, Inc.

8.3.3. Durocher Marine

8.3.4. Van Oord

8.3.5. Maritech

8.3.6. Great Eastern Group

8.3.7. Optic Marine

8.3.8. Marine Consultants & Contractors (MCC)

8.3.9. ASEAN Cables Pte Ltd

8.4. SYSTEM SUPPLIERS AND CABLE MANUFACTURERS

8.4.1. Nippon Electric Company (NEC)

8.4.2. Huawei Marine Networks (HMN)

8.4.3. Norddeutsche Seekabelwerke (NSW)

8.4.4. Nexans

8.5. EQUIPMENT PROVIDERS

8.5.1. Route Survey Equipment Providers

8.5.2. Cable Burial Equipment Providers

8.5.3. Remotely Operated Vehicles (ROVs) Providers

8.5.4. Cable Handling Equipment Providers

8.5.5. Cable Deployment and Monitoring Software Systems

8.6. REGULATORY MANAGEMENT SERVICES

8.7. ENVIRONMENTAL MANAGEMENT SERVICES

CHAPTER 9: INSTALLATION COST AND SCHEDULE ESTIMATING TOOLS

9.1. INSTALLATION COST AND SCHEDULE ESTIMATING

9.2. PIONEER CONSULTING GOCABLE.IO

9.3. MAKAIPLAN

9.4. OPERATIONAL PRODUCTION RATES

CHAPTER 10: TECHNOLOGY AND DEVELOPMENT TRENDS

10.1. PLOWING EQUIPMENT AND FACILITIES

10.2. JETTING EQUIPMENT AND FACILITIES

10.3. JOINTING EQUIPMENT AND FACILITIES

10.3.1. Universal Jointing (UJ)

10.3.2. Proprietary Manufacturers' Jointing

10.4. DEVELOPMENT OF BURIAL TOOLS

10.4.1. Increased Bollard Pull (from 40-60 Tonnes to 150 Tonnes)

10.4.2. 3 Meter (Jetting) Plows

10.4.3. 3 Meter ROV Jetting Packages

10.4.4. 5 Meter Plows

10.5. DEVELOPMENTS IN ROUTE PLANNING

10.5.1. Digital Terrain Modeling—Minimizing Unsupported Cable Spans

10.5.2. Burial Assessment Surveys—Improving Burial Results and Confirming Armor Decisions

10.5.3. Automated Identification System for Desk Top Study Route Planning

10.5.4. DTS Marine Surveys

10.5.5. Drones

10.6. DYNAMIC POSITIONING IMPROVEMENT—IMPROVING CABLE POSITIONING AND SLACK MANAGEMENT

10.7. DEVELOPMENT IN CABLE LAYING CONTROL SYSTEMS—MINIMIZING LOOPS AND UNSUPPORTED SPANS

10.8. TOUCHDOWN MONITORING—VALIDATING CABLE BOTTOM POSITION AND/OR BURIAL

10.9. POST-LAY INSPECTION (PLI)—VALIDATING BURIAL DATA

10.10. CABLE AWARENESS—CABLE AWARENESS CHARTS, FISHERIES LIAISON

10.11. SHALLOW WATER PROTECTION—HORIZONTAL DIRECTIONAL DRILLING, SPLIT PIPE, CABLE PINNING

CHAPTER 11: CONCLUSIONS AND OBSERVATIONS

11.1. OBSERVATIONS

11.1.1. Submarine Telecommunications Marine Services Market

11.1.2. Vessels

11.1.3. Services

11.1.4. The Future

List of Figures

Figure 3-1: Typical Grapnel Rigging

Figure 3-2: Debris Recovered During a PLGR

Figure 3-3: Route Clearance Operation

Figure 3-4: Low Profile Anchor and Slip Lines

Figure 3-5: Fishing areas where dFADs are Used

Figure 3-6: Bamboo Raft dFAD

Figure 3-7: dFAD with Radio Transmitter

Figure 3-8: dFAD Suspended Objects

Figure 3-9: Load Plan

Figure 3-10: How Cable is Coiled

Figure 3-11: Up and Down Runners on a Cables ship

Figure 3-12: Trailing Cable

Figure 3-13: Example of a Repeater Stack

Figure 3-14: Cable Transporter

Figure 3-15: Armor Cable with Keystone

Figure 3-16: Protection of Cables

Figure 3-17: Spare Repeater Rack

Figure 3-18: Impactograph

Figure 3-19: Temporary Cable Tanks and Temporary Repeater Storage Racks

Figure 3-20: Standard Barge Outfitted with a Cable Tank

Figure 3-21: 40 Foot Open Top Container

Figure 3-22: Various Modes of PLSE Transport

Figure 3-23: An Example of Direct Landing

Figure 3-24: ROV's Gripper Attachment

Figure 3-25: Correctly Applying Cable Slack for Deployment

Figure 3-26: Towed Sea Plow

Figure 3-27: Deployment of a Cable Buoy

Figure 3-28: Typical Rigging for a Streamed Cable End

Figure 3-29: Joining Cables Together

Figure 3-30: ROV with Water Jetting Swords

Figure 3-31: ROV Video Stills

Figure 3-32: Trenching ROV with Jetting Swords Extended

Figure 3-33: Launch and Recovery System for Deploying ROVs

Figure 3-34: Cable Tracking Device

Figure 3-35: Sonar Image from an ROV Operation

Figure 3-36: An Acoustic Pulse

Figure 3-37: Touchdown Monitoring

Figure 3-38: An Example of a Branching Unit Positioning

Figure 3-39: Branching Unit Assembly

Figure 3-40: Adjustments to Cable Route and Buoys

Figure 3-41: Sequence of Operations for Installing a Branching Unit

Figure 3-42: Initial Splice Deployment

Figure 3-43: Final Splice Deployment

Figure 3-44: Deployment of Repair Splice and Bight

Figure 3-45: The Splicing Process

Figure 3-46: Cleaning Bare Fibers

Figure 3-47: Fiber Cleaver

Figure 3-48: Automatic Alignment of Fiber Cores

Figure 3-49: A Fusion Splicer

Figure 3-50: Typical Power Feed Equipment

Figure 3-51: COTDR Testing Instrument

Figure 3-52: COTDR Trace

Figure 3-53: OSA Trace

Figure 3-54: Megohmmeter (Megger)

Figure 3-55: Measuring Power with a Power Meter

Figure 3-56: OTDR and an OTDR Trace

Figure 3-57: Tone Generator and a Tone Detector

Figure 3-58: A Beach Master Overseeing a Shore End Landing

Figure 3-59: Start of Cable Lay

Figure 3-60: Initial Splice Deployment

Figure 3-61: Final Bight Deployment

Figure 3-62: Acceptable and Unacceptable Crossing Angles

Figure 3-63: Avoiding Amor/Unarmored Crossings

Figure 3-64: Applying Protective Sleeves

Figure 3-65: Water Depth Recommendation between Repeaters and Cable Crossings

Figure 3-66: Cable Bights Near Crossing

Figure 3-67: Branching Unit Placement

Figure 3-68: Parallel Cable Routing

Figure 3-69: Using Protective Sleeves for Cable and Pipe Line Separation

Figure 3-70: Using Concrete Blocks

Figure 3-71: Constructed Rock Berms

Figure 3-72: Repair Steps

Figure 3-73: A Cableship Cross Section

Figure 3-74: Cable Drums

Figure 3-75: A Typical LCE

Figure 3-76: Typical Cable Counter

Figure 3-77: Installing Dynamometers

Figure 3-78: Navigational Equipment Screen

Figure 3-79: GPS Satellites

Figure 3-80: Environmental Forces and Propulsion Systems

Figure 3-81: Echo Sounder System

Figure 3-82: M/V Ndeavor

Figure 3-83: CS Global Symphony

Figure 3-84: Three ships working in close proximity at Horn Mountain (BP GOM)

Figure 4-1: Cable Pinning

Figure 4-2: Measurement of a 2 Meter Burial

Figure 4-3: Steel Conduits

Figure 4-4: Diver Inspection of a Cable

Figure 4-5: A Wire Winch

Figure 4-6: Pulling around a Quadrant

Figure 4-7: A Turnaround Sheave

Figure 4-8: Using a Deadman Anchor

Figure 4-9: Typical Shore End Landing

Figure 4-10: Use of an Armor Clamp

Figure 4-11: PLSE Shore End Landing

Figure 4-12: Injector and Rock Saw Operations for Deep Burial

Figure 4-13: Articulated Pipe

Figure 4-14: Diver Assisted Jetting Sled

Figure 4-15: Diver Jetting

Figure 4-16: A Required Pipe Conduit

Figure 4-17: Common Equipment Used in Shallow Water Installation

Figure 4-18: Typical Tug and Barge Burial Operation

Figure 4-19: Shallow Water Work

Figure 4-20: A Beachable Landing Craft

Figure 4-21: Jack up Barge and Catamaran

Figure 4-22: Self Propelled Jetting Tool Burying Cable

Figure 4-23: Shallow Water Plow Burying Cable

Figure 4-24: Self Propelled Rock Trencher

Figure 5-1: Autonomous Underwater Vehicle

Figure 5-2: Airborne LIDAR Bathymetry

Figure 5-3: OSV Geo Energy

Figure 5-4: DSV Ocean Project

Figure 5-5: RV Urbano Monti

Figure 5-6: MPSV Ocean Surveyor

Figure 5-7: Hull Mounted MBES Transducers (Simrad/Kongsberg EM300 and EM1000)

Figure 5-8: Swath Bathymetry (Hull Mounted)

Figure 5-9: Example of Charted Cable Route Bathymetry

Figure 5-10: Side-scan Sonar Towfish

Figure 5-11: Side-scan Sonar Depiction

Figure 5-12: Slant Range Correction

Figure 5-13: Sub-bottom Reflection

Figure 5-14: Sub-bottom Profile, Co-located Against Side-scan Sonar Data

Figure 5-15: SeaSpy Magnetometer

Figure 5-16: Magnetic Anomaly

Figure 5-17: Gravity Corer (left) and Grab Sampler (right)

Figure 5-18: Mini-CPT Rig

Figure 5-19: CPT Sensors: Standard Load Cells (a), Piezocone (b)

Figure 5-20: Interpreted CPT Log

Figure 5-21: C-BASS Towed E-BAS Sled

Figure 5-22: USBL Head (usually pole mounted)

Figure 6-1: Atlantic Cable Maintenance Agreement Zone

Figure 6-2: 2 Oceans Cable Maintenance Agreement

Figure 6-3: Mediterranean Cable Maintenance Agreement

Figure 6-4: North American Zone Maintenance Agreement

Figure 6-5: South East Asia / Indian Ocean Cable Maintenance Agreement

Figure 6-6: Yokohama Zone Cable Maintenance Agreement

Figure 6-7: Atlantic Private Maintenance Agreement

Figure 6-8: Asia Pacific Marine Maintenance Service Agreement

Figure 6-9: E-Marine

Figure 6-10: South Pacific Marine Maintenance Agreement

Figure 6-11: Northern Pacific Marine Maintenance Service Agreement

Figure 6-12: BSC Maintenance Coverage

Figure 6-13: Harbor Offshore Shallow Water Repair

Figure 7-1: SubCom Cable Depot Locations

Figure 7-2: SubCom Jointing Services and Cable Maintenance

Figure 7-3: GMSL Bermuda Cable Depot

Figure 7-4: GMSL Portland (UK) Cable Depot Training Facility

Figure 7-5: OM's Depots at Brest, Catania and La Seyne Sur Mer

Figure 7-6: The Atlantic Marine Base in Brest, France

Figure 7-7: Elettra Cable Depot—Catania, Sicily

Figure 7-8: The Mediterranean Marine Base in La Seyne-sur-Mer

Figure 7-9: E-marine Cable Depot

Figure 7-10: SBSS Maintenance Depot Services in Wujing, Shanghai, China

Figure 7-11: SBSS Wujing Cable Depot

Figure 7-12: Wujing Depot

Figure 7-13: Wujing Depot Plan

Figure 7-14: KCS Cable Depot

Figure 7-15: KTS Cable Depot

Figure 7-16: KTS Depot Location

Figure 7-17: Baltic Offshore Cable Depot

Figure 7-18: Baltic Offshore Depot, Port of Kalmar, Sweden

Figure 7-19: IT International Telecom Depot Facility in Halifax, Canada

Figure 7-20: IT International Telecom Depot Location, Halifax

Figure 7-21: Sembawang Cable Depot Location

Figure 7-22: Cable Tanks at SNS Cable Depot, Singapore

Figure 8-1: SubCom Cable Manufacturing Plant

Figure 8-2: SubCom Cable Depot

Figure 8-3: SubCom Cableships

Figure 8-4: ASN Cable Manufacturing Plant

Figure 8-5: ASN Cableships

Figure 8-6: CMI Barges

Figure 8-7: HOI Repair Barge

Figure 8-8: Durocher Marine Installation Barge

Figure 8-9: Van Oord Cable Installation Vessel

Figure 8-10: Maritech Shore End Landing

Figure 8-11: GEG Shore End Landing

Figure 8-12: Cable Orchestra

Figure 8-13: Cable Empowered

Figure 8-14: MCC Installation Barge

Figure 8-15: ACPL Asean Protector

Figure 8-16: OCC Cable Factory

Figure 8-17: Nexans Cable Loading Facility

Figure 8-18: Linear Cable Engine and Cable Drum

Figure 9-1: GoCable

Figure 9-2: MakaiPlan Route Engineering

Figure 9-3: MakaiPlan Cable Assembly

Figure 9-4: Straight Line Diagram

Figure 10-1: Traction Tow Winch

Figure 10-2: SMD MD-3 HD Plow

Figure 10-3: EB Sea Stallion 3 HD Plow

Figure 10-4: MD3XT in 3.0m Burial Mode; Front Jet Tool Deployed and Jetting through Share Leading Edge and Under Heel

Figure 10-5: MD3XT in 2.2m Burial Mode

Figure 10-6: MD3XT in 3.3m Burial Mode with Extended Share

Figure 10-7: Remotely Operated Vehicle (ROV)

Figure 10-8: SMD Q-Trencher 500 Cable Trenching ROV

Figure 10-9: Splicing and Molding Machines onboard Alcatel-Lucent's CS Ile de Batz

Figure 10-10: Universal Joint Assembly

Figure 10-11: Vessels Anchored off Singapore

Figure 10-12: Vessels Anchored off Hong Kong

Figure 10-13: Stationary Vessels in Oil and Gas Lease Blocks off Brazil

Figure 10-14: DTS Marine Survey

Figure 10-15: Drone with a Mounted Camera

Figure 10-16: Ground Control Points for Georeferencing

Figure 10-17: Real-time Monitoring of Cable Profile and Bottom Touchdown

Figure 10-18: Articulated Pipe and Pinning

Figure 11-1: Global Marine Wind Farm Support

Figure 11-2: ASN Oil and Gas Installation

List of Tables

Table 3-1: Worldwide Cables Comparison

Table 3-2: Active Cables Worldwide

Table 5-1: Marine Survey Datasets and Data Presentation Comments

Table 5-2: Commonly Used Fugro Survey Vessels

Table 5-3: EGS Survey Vessels

Table 5-4: Example Research Vessels

Table 7-1: Wujing Depot Specifications and Capacity

Table 7-2: Wujing Depot Environmental Conditions

Table 9-1: Operational Production Rates

If interested in learning more about “Marine Services for Undersea Telecom Cables” or if you would like to purchase this report, please reach out via: sales@pioneerconsulting.com.